

You work with your hands, and have nothing to gain from looking at your feet. Just get your work done. No fuzz. It's hard sometimes and dangerous too, but don't worry, everything is going to work out just fine. We make sure you stay on your feet, and that your feet stay safe from impacts, nails and debris. Do your thing. **Don't look down.**







STORM

ART. TG80245

Toe Guard Storm is a safety shoe made of smooth leather and features a wide fit for optimal comfort. PU reinforced toe area for extra durability. In addition, this comfortable shoe is designed with as few seams as possible in critical areas and comes with an antistatic, oil resistant and anti-slip PU outsole. Classic steel toe cap and steel nail protection.

Upper: Leather

Outsole: Antistatic and oil resistant PU

Midsole:

Footbed: Removable and moisture wicking

and breathable PU

Wide Fit: Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S3, SRC

Protection: Steel toe cap and steel nail protection











FLASH

ART. TG80265

Toe Guard Flash is a safety boot made of smooth leather and features a wide fit for optimal comfort. PU reinforced toe area for extra durability. In addition, this comfortable boot is designed with as few seams as possible in critical areas and comes with an antistatic, oil resistant and anti-slip PU outsole. Classic steel toe cap and steel nail protection.

Upper: Leather

Outsole: Antistatic and oil resistant PU

Midsole:

Footbed: Removable and moisture wicking

and breathable PU

Wide Fit: Sizes: 36-48

EN ISO 20345:2011 S3, SRC Safety Standard:

Protection: Steel toe cap and steel nail protection











PHANTOM

ART. TG80460

Toe Guard Phantom is a lightweight and flexible metal-free safety shoe, proven to withstand really tough use. Equipped with a smooth action leather and CORDURA® upper. Phantom offers great comfort and durability. Features an oil resistant and anti-slip PU outsole with an added scuff cap as well as fiberglass toe cap and soft nail protection.

Leather and CORDURA® Upper: Outsole: Antistatic and oil resistant rubber

Midsole:

Footbed: Moisture wicking and breathable PU

Fit: Wide Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S3, SRC

Protection: Fiberglass toe cap and soft nail protection







CORDURA





ICON

ART. TG80470

Toe Guard Icon is a lightweight and flexible metal-free safety boot, proven to withstand really tough use. Equipped with a smooth action leather and CORDURA® upper. Phantom offers great comfort and durability. Features an oil resistant and antislip PU outsole with an added scuff cap as well as fiberglass toe cap and soft nail protection.

Upper: Leather and CORDURA® Outsole: Antistatic and oil resistant rubber

Midsole:

Footbed: Moisture wicking and breathable PU

Wide Fit: 36-48 Sizes:

Safety Standard: EN ISO 20345:2011 S3, SRC

Protection: Fiberglass toe cap and soft nail protection







CORDURA







TRAIL

ART. TG80440

Toe Guard Trail safety shoe is proven to withstand the toughest abuse and the harshest environments. Equipped with an oil and heat resistant anti-slip rubber outsole, TPU scuff cap for extra durability, fiberglass toe cap and soft nail protection.

Upper: Full-grain leather

Outsole: Oil and heat resistant anti-slip rubber

Midsole:

Footbed: Breathable PU foam

Fit: Wide Sizes: 36-48

EN ISO 20345:2018 S3, SRC, HRO Safety Standard: Protection: Fiberglass toe cap and soft nail protection













NITRO

ART. TG80430

Toe Guard Nitro safety boot is proven to withstand the toughest abuse and the harshest environments. Equipped with an oil and heat resistant anti-slip rubber outsole, TPU scuff cap for extra durability, fiberglass toe cap and soft nail protection.

Upper: Full-grain leather

Outsole: Oil and heat resistant anti-slip rubber

Midsole:

Footbed: Breathable PU foam

Fit: Wide Sizes:

Safety Standard: EN ISO 20345:2018 S3, SRC, HRO Protection: Fiberglass toe cap and soft nail protection



















WILD LOW

ART. TG80530



Toe Guard Wild Low is a safety shoe made of PU coated leather and features a wide fit for optimal comfort. PU reinforced toe area for extra durability. In addition, this comfortable shoe is designed with as few seams as possible in critical areas as well as a durable fabric in the collar area to offer a better fit. Toe Guard Wild Low comes with a brand new lightweight, heat resistant, oil-resistant and anti-slip rubber outsole. ESD function according to BS EN 61340-4-3:2018.

Upper: Leather and ripstop

Lining: Mesh

Outsole: Heat and slip resistant rubber sole

Midsole: EVA

Footbed: Highly breathable, moisture wicking

and PU foam

Fit: Wide Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S3, SRC, HRO Protection: Fiberglass toe cap and soft nail protection















WILD MID ART. TG80540



Toe Guard Wild Mid is a safety boot made of PU coated leather and features a wide fit for optimal comfort. PU reinforced toe area for extra durability. In addition, this comfortable boot is designed with as few seams as possible in critical areas as well as a durable fabric in the collar area to offer a better fit. Toe Guard Wild Mid comes with a brand new lightweight, heat resistant, oil-resistant and anti-slip rubber outsole. ESD function according to BS EN 61340-4-3:2018.

Upper: Leather and ripstop

Lining: Mesh

Outsole: Heat and slip resistant rubber sole

Midsole: EVA

Footbed: Highly breathable, moisture wicking

and PU foam

Fit: Wide Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S3, SRC, HRO
Protection: Fiberglass toe cap and soft nail protection

















WILD WR MID ART. TG80545

Toe Guard Wild WR Mid is a metal free safety boot made of PU coated leather and features a wide fit for optimal comfort. PU reinforced toe area for extra durability. In addition, this comfortable boot is designed with as few seams as possible in critical areas as well as a durable fabric in the collar area to offer a better fit. Waterproof membrane to keep your foot dry. Toe Guard Wild WR Mid comes with a lightweight, heat resistant, oil resistant and anti-slip rubber outsole. ESD function according to BS EN IEC 61340-4-3:2018.

Upper: Leather and ripstop

Lining: Mesh

Membrane: Waterproof

Heat and slip resistant rubber sole Outsole:

Midsole:

Footbed: Highly breathable, moisture wicking

and PU foam

Wide Fit: Sizes: 36-48

EN ISO 20345:2011 S3, SRC, HRO, WR Safety Standard: Protection: Fiberglass toe cap and soft nail protection















SPRINTER

ART. TG80510



Toe Guard Sprinter is a sporty and flexible metal-free safety shoe with excellent breathability for optimal comfort. Combining a high-performance EVA midsole with an oil resistant and anti-slip rubber outsole with a TPU scuff cap. This agile safety shoe offers a smooth and secure stride. Fiberglass toe cap and soft nail protection. ESD function according to BS EN 61340-4-3:2018.

Upper: Leather and ripstop

Outsole: Antistatic and oil resistant rubber

Midsole: EVA

Footbed: Moisture wicking and breathable PU

Fit: Wide Sizes: 39–48

Safety Standard: EN ISO 20345:2011 S3, SRC, HRO
Protection: Fiberglass toe cap and soft nail protection













JUMPER

ART. TG80520



Toe Guard Jumper is a sporty and flexible metal-free safety boot with excellent breathability for optimal comfort. Combining a high-performance EVA midsole with an oil resistant and anti-slip rubber outsole with a TPU scuff cap. This athletic safety boot offers a smooth and secure stride. Fiberglass toe cap and soft nail protection. ESD function according to BS EN 61340-4-3:2018.

Upper: Leather and ripstop

Outsole: Antistatic and oil resistant rubber

Midsole: EVA

Footbed: Moisture wicking and breathable PU

Fit: Wide Sizes: 39–48

Safety Standard: EN ISO 20345:2011 S3, SRC, HRO Fiberglass toe cap and soft nail protection



















ART. TG80420

Toe Guard Alaska boot is proven to withstand the toughest abuse and the harshest environment with extra winter lining in synthetic wool to keep you warm. The oil and heat resistant anti-slip rubber outsole for extra protection and a side zipper for easy in/out function.

Upper: Full-grain leather Lining: Synthetic wool

Outsole: Oil and heat resistant anti-slip rubber

Midsole:

Breathable PU foam Footbed:

Zipper Function: Wide Fit: 36-48 Sizes:

Safety Standard: EN ISO 20345:2018 S3, SRC, HRO, CI Protection: Fiberglass toe cap and soft nail protection















Wellington PU boot provides good durability. Resistance to minerals, vegetable oils, disinfectants and various chemicals. Approximately 30% lighter than standard PVC/rubber boots.

Antistatic and oil resistant PU Upper: Outsole: Antistatic and oil resistant PU

Midsole:

Footbed: Removable and moisture wicking

and breathable EVA

Fit: Wide Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S5, SRC

Protection: Steel toe cap and steel nail protection















INDUSTRY

ART. TG80285



Toe Guard Industry is a light and flexible shoe developed to be used for industrial environment, warehouses and transportation. The upper is designed with minimal seams and maximal breathability. Aluminum toe cap and soft nail protection. ESD function according to BS EN 61340-4-3:2002.

Upper: Light and flexible leather and textile

Outsole: PU Midsole: PU

Footbed: Removable and moisture wicking

and breathable PU

Fit: Normal Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S1P, SRC

Protection: Aluminum toe cap and soft nail protection







RUNNER ART. TG80410



Toe Guard Runner is a metal free safety shoe with a sporty, lightweight and breathable design. The outsole is an antistatic and oil resistant PU sole with a TPU shank for extra stability. The TPU toe bumper gives an extra enforcement for the heavy duty environment. The footbed is removable and with moister wicking and breathable function. Fiberglass toe cap and soft nail protection. ESD function according to BS EN 61340-4-3:2002.

Upper: Leather and textile

Outsole: Antistatic and oil resistant PU

Midsole: PU

Footbed: Removable and moisture wicking

and breathable PU

Fit: Wide Sizes: 36-48

Safety Standard: EN ISO 20345:2011 S1P, SRC

Protection: Fiberglass toe cap and soft nail protection









SAFETY SHOE REGULATION

Safety shoes must meet the requirements of the european directives regarding personal protective equipment. The following safety class labels are available on products manufactured under the above directives and according to the european standards CE EN ISO 20345:2011.

SAFETY CLASSESS

- \$1 Toe cap 200 J / N 15000 Antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles
- \$1P Toe cap 200 J / N 15000 Nail protection 1100 N, antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles
- \$3 Toe cap 200 J / N 15000 Nail protection 1100 N, antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles, patterned sole, water resistant for a minimum of 60 minutes
- \$2 Toe cap 200 J / N 15000 Antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles, water resistant for a minimum of 60 minutes
- \$2P Toe cap 200 J / N 15000 Nail protection 1100 N, antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles, water resistant for a minimum of 60 minutes
- \$4 Material with natural and synthetic polymers / Toe cap 200 J / Antistatic properties, shock absorption in heel, closed heel, oil resistant friction sole
- \$5 Material with natural and synthetic polymers/ Toe cap 200 J / N 15000, penetration protection 1100 N, antistatic properties, shock absorption in heel, closed heel, oil resistant friction soles, patterned sole

SAFETY STANDARDS

SRA: Slip resistant on ceramic + sodium lauryl sulphate

SRB: Slip resistant steel plates and glycerin

SRC: (SRA + SRB): Resistant on ceramic + sodium

lauryl sulphate, steel plates and glycerin

HRO: Heat resistant outsole +300°c

WRU: Uppers resistent to water < 60 minutes

WR: Waterproof

ICONS



TOE CAP



PLATE



OIL RESISTANT



WATER RESISTANT



METAL FREE



METAL FREE PROTECTION BUT METAL IN UPPER



HEAT RESISTANT OUTSOLE

Note: Not always with an upper suitable for hot environments



WATERPROOF



ZIPPER



WINTER LINING



WWW.TOEGUARD.COM